

Cleanfill Waste Acceptance Declaration Form

Contractor Name				
Date:				
Type of waste:				
Is waste listed acceptable as per The Urban Quarry Clean Fill Definition				
☐ Yes				
□ No				
Origin of waste:				
Site Address:				
Volume of waste:				
Tests Results Available? ☐ Yes ☐ No				
Any noticeable characteristics of the waste (smell, colour, consistency, etc)?				
☐ Yes				
□ No				
If yes, please specify:				
Has the waste been rejected at a Landfill / Managed Fill or other facility?				
☐ Yes				
□ No				
Is further testing required to prove acceptability? \square Yes \square No				
Contractor sign off:				
Name:				
Date:				
Signature:				
The Urban Quarry Staff Only -				
Load inspected Yes No Accepted Rejected				



Cleanfill Waste Acceptance Declaration

CLEANFILL DEFINITION AND ACCEPTANCE CRITERIA

Clean fill is defined in Rule 5.5.48(a) of the ARP: ALW by reference to the MfE document A Guide to the Management of Clean fills, 2002 as: "..material that when buried will have no adverse effect on people or the environment; and includes virgin materials such as clay, soil and rock, and other inert materials such as concrete or brick that are free of:

		Combustible, putrescible, degradable or leachable components			
		Hazardous substances			
		Products or materials derived from hazardous waste treatment, hazardous waste stabilization			
or					
		□ Hazardous waste disposal practices			
	□ Materials that may present a risk to human				
		health Liquid waste			
Materials imported onto the site must not be from a known contaminated or high risk					
site – see examples below:					
		Soil from a petrol station			
		Soil from a known contaminated site			
		Materials that may contain harmful Coal			
		Tars Soil from a timber treatment plant			
		Materials classified as contaminated			
		Soils and materials from industrial farming operations.			

Note: Contractors delivering material that does not meet the criteria outlined below will be liable for any remediation / disposal costs which are borne by The Urban Quarry. All information supplied to the Urban Quarry must be true and correct.



Acceptance Limits for Clean Fill

CONTAMINANT	MG/KG
Arsenic	12
Cadmium	0.65
Chromium	125
Copper	90
Lead	65
Nickel	320
Zinc	1160
DDT, DDD, DDE	ND
Dieldrin	ND
Napthalene	ND
Bezo (a) pyrene	ND
Benzene	ND
Toluene	ND
Ethyl-Benzene	ND
Xylenes	ND
TPH C7 - C9	ND
TPH C10 - C14	ND
TPH C15 - C36	ND